

Direct Immersion - Hydraulic Airless Paint Sprayers



PowerTwinTM XLT_{DI} Series



XTENDED LIFE TECHNOLOGY

DIRECT IMMERSION
for Ultra-Heavy Coatings.

PowrTwin XLT DI™ FEATURES

The Contractor's Choice for Big Projects!

PowrTwin™ XLT DI



Why XLT Direct Immersion?

Speeflo is the world's most popular manufacturer of gas hydraulic airless paint sprayers.

PowrTwin XLT DI models are perfect for interior and exterior work. They convert quickly from gas to electric and are easy for one person to load.

PowrTwins are powerful enough to spray the most difficult architectural and commercial coatings.

Proven reliable and easy to maintain...

Speeflo is the only sprayer you will ever need!



XLT DI with EZ-Swing Frame

Direct Immersion for Ultra-Heavy Coatings

- Spray texture and finish coat with the same sprayer.
- Sprays ultra-heavy coatings including joint compound, drywall mud, high solids, block filler and elastomerics.
- Spray splatter, orange peel and heavy knockdown textures with optional Splatter Nozzle (Part Number 765-360).
- Able to siphon ultra-heavy coatings without starving sprayer.
- Uses less solvents for faster clean-up.
- Better weight distribution, lower center of gravity and large pneumatic tires for ease of transportation, even in the most severe job-sight conditions.
- Converts from gas to electric power in seconds without tools.

1 HydraDrive™


Proven Reliable, Smooth, Slow-Stroking Hydraulic Drive Eliminates Gears and Clutches.

- Mechanical valve eliminates expensive electronic switching devices.
- External Hydraulic Fluid Porting with new and upgraded fittings, allow for quick trouble shooting and easy maintenance.
- Precision rod alignment for maximum chrome life.
- SAE O-Ring fitting for precision alignment.

2 Converts from Gas to Electric

The PowrTwin™ May Be All the Sprayer You'll Ever Need!

- Single piece beltguard allows 40% more access to the Convertokit™.
- Change from gas to electric or vice versa in seconds – without tools. Never miss a job because you don't have the right power. Use the gasoline engine on exteriors or switch to electric for inside jobs. *Your PowrTwin keeps your crew on the job making you money.*
- Powerful easy-start Honda OHV Gasoline Engine is equipped with low-oil shutdown to prevent damage due to low oil level. Cast iron cylinder sleeve lengthens engine life. Automatic compression relief for fast, easy starts.
- 2 HP extended life ExL-DC™ Electric Motors operate whisper quiet without starting or stopping. *Silence is the sound of quality!*



3 Hydraulic Fill and Dip Stick

- Easy Access Equals Less Mess
- Sturdy Metal Dip Stick



4 High Capacity Hydraulic Fluid Cartridge Filter

- Keeps Hydraulic System Clean and Easy to Maintain



5 Heavy Duty Paint Filter

- Longer Tip Life
- Increased Productivity



6 Coolflo™ Hydraulic Pump

- Runs 20% Cooler
- No Clutch to Wear
- No Routine Maintenance

7 Hydraulic Fluid Reservoir

- Compact and Lightweight for Maximum Portability and Heat Dissipation



Accutrol™ Pressure Control

- Accurate from 400 psi up to 3,300 psi
- No Electronics
- No Freeze Hazard
- No Maintenance



High Efficiency Cooling Fan

- Keeps the Hydraulics Cooler for Longer Life

Durable, Chrome Plated Cart

- Telescoping Handle and Lift Handle for Easy Loading



EZ-Swing Frame

- Allows for Less Spillage During Paint Changes
- Lowers Height of Unit for Easier Transportation

Large Pneumatic Tires

- Large Pneumatic Tires for Ease of Transportation, Even in the Most Severe Job-Site Conditions

Foot Valve

- Submersed Lower Foot Valve Allows for Siphoning of Ultra Heavy Coatings, Splatter and Knockdown Textures

SPECIFICATIONS

XLT DI Models Direct Immersion

	PowrTwin™ 6900XLT DI	PowrTwin™ 12000XLT DI
Gas Model Bare	448-350	459-350
Electric Model Bare	N/A	N/A
Gas Model w/ S-5 Gun, Tip, and 3/8" Hose Kit	448-355	459-355
Gas Model w/ S-5 Gun, Tip, and 3/8" Hose Kit & Heavy Duty Bypass Valve	448-360	N/A
Gas Engine	5.5 hp Honda	9 hp Honda
Electric Motor	2 hp Extended Life-DC	2 hp Extended Life-DC
Max. Tip Size - Gas	1 gun - .048"	1 gun - .058"
<i>Maximum tip sizes vary with materials sprayed</i>	2 guns - .033"	2 guns - .040"
	3 guns - .023"	3 guns - .034"
	4 guns - .019"	4 guns - .030"
		5 guns - .026"
		6 guns - .024"
Max. Tip Size - Electric	1 gun - .036"	1 gun - .036"
	2 guns - .026"	2 guns - .026"
	3 guns - .019"	3 guns - .019"
Max. Output - Gas	2.15 gpm (8.14 lpm)	3.15 gpm (11.9 lpm)
Max. Output - Electric	1.25 gpm (4.73 lpm)	1.25 gpm (4.73 lpm)
Max. Operating Pressure	3,300 psi (22.8 MPa)	3,300 psi (22.8 MPa)
Cycles Per Gallon	55	40
Paint Outlet Filter	5 mesh	5 mesh
Filter Area	18 in ²	18 in ²
Frame	EZ-Load Swing-In	EZ-Load Swing-In
Sprayer Dimensions	43"(L) x 27" (W) x 35" (H)	46"(L) x 27" (W) x 35" (H)
Sprayer Weight - Gas	149 lbs (67.6 kgs)	188 lbs (85.3 kgs)
Sprayer Weight - Electric	165 lbs (74.8 kgs)	192 lbs (87.1 kgs)
Honda Gas Convertokit	506-275	506-277
Exl-DC Electric Convertokit	506-279	506-279



"Reliable, Dependable, and Tough... are just a few of the words to describe Speeflo PowrTwins. We have tried them all and nothing else compares and that's why we have over 30 PowrTwins in our fleet!"

**Barry Bartz, Omni Glass and Paint
Oshkosh, Wisc.**



The Best & Longest Warranty in the Industry

Speeflo sprayers are built to last. We are so confident that our **PowrTwin** sprayers will hold up to the most difficult jobs that we offer the best and longest warranty in the industry.

Lifetime Extended Life ExL-DC Motor Warranty – If the motor fails from normal usage for as long as you own the sprayer, we will replace the motor at no cost to you.

4 Year Manufacturer's Defects – We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as, filters, piston, packings, tips, etc.

2 Year Honda Engine Warranty – On defects in materials and workmanship.

35 Day Satisfaction Guarantee – For any reason the sprayer does not perform to your expectations within 35 days, the sprayer can be exchanged for the identical model or full credit towards the purchase of a Titan sprayer of greater value.

Express Parts Program –

- Over 400 Authorized Service Centers nationwide.
- The most common repair parts are guaranteed to be in stock 100% of the time.
- If for any reason your preferred Authorized Service Center is out of stock, free 2nd day air is available when ordered by 3:00 pm (EST).

WearGuard™ Convenience Program – Purchase a new PowrTwin Series sprayer and you qualify for one of the following packages:

A: Receive the sprayer's repacking kit at no charge. This kit includes: packings, upper and lower balls, seals and o-rings.

B: Purchase the sprayer's major repair kit for \$125 (up to a 78% savings). This kit includes: a repacking kit **in addition to** a piston and cylinder.

C: Purchase the sprayer's complete Severe Service 900™ Pump Section for only \$250 (up to an 83% savings). This includes all necessary parts allowing you to simply replace the entire fluid section.

For more information about the industry's leading warranty, please call Titan's Technical Service Department at 1-800-526-5362.

United States

*Titan Tool, Inc.
107 Bauer Drive
Oakland, NJ 07436
Tel: 1.800.526.5362
Fax: 1.800.528.4826
Website: www.titantool.com*

International Sales

*Titan Tool, Inc.
107 Bauer Drive
Oakland, NJ 07436
Tel: 1.201.337.1240
Fax: 1.201.405.7449
Website: www.titan-tools.com*

Titan Tool of Canada

*200 Trowers Road, Unit 7B
Woodridge, Ontario L4L-5Z8
Tel: 1.800.565.8665 (Canada Only)
Fax: 1.905.856.8496*

